

TX-3535P3FC120-OGHCNA72-03F

PRODUCT SPECIFICATION

Features:

- ◆
- ◆
- ◆

Chip Material:

- ◆

Emitting Color:








- ◆

Applications:

- ◆
- ◆
- ◆

--	--	--	--	--	--



Package Dimensions:



--	--	--	--	--	--

Electrical



TYANSHINE 广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd




TYANSHINE 广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd



广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd



广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd





TYANSHINE 广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

--	--	--	--	--	--



Typical Electrical/Optical Characteristics Curves

°C



Forward Current

TYANSHINE | 广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd




°C

Usage Precautions


Storage Environment Condition

℃ ℃ °F °F


Soldering Condition



TYANSHINE 广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd



广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd




广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE 广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

--	--	--	--	--	--

Dimensions For Cannulation And Packaging

Quantity:1000 PCS



TYANSHINE
广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE
广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE
广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司
Guangzhou Tianxin Photoelectric Co.,Ltd