





Package Dimensions:



.	- 0 0 1000 1 -10	.	&		
---	------------------	---	---	--	--

**Absolute Maximum Ratings**

Parameter	Symbol	Ratings	Unit
	( 1+ / 1+ )	*	
	( 1+ / 1+ )	1000	
		1 0	
( )		000	
( )		100	
		- 0 +100	
		- 0 +100	

**Notes:**

1. 

- 0 0 1000	1 -10	&	
------------	-------	---	--

Electrical Optical Characteristics (Tc=25°C)

Parameter	Symbol	Condition	Emitting color	Min.	Typ.	Max.	Units
		0. *		1 00	000		
		1+ )			1		
		1+ )		000		00	
				000	100000		
				00		00	
0	1/	. *			11		
		1+ )					
		1+ )		0			
- 0				0			
						10	

Notes:

1. ...  
... 1/ ...  
... 1 %.  
... %.  
... ± ...  
... ( , ) ± 0.00 .

	- 0 0 1000	1 -10		&			
--	------------	-------	--	---	--	--	--

TYANSHINE 广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE 广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE 广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE 广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd

TYANSHINE 广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd

广州市添鑫光电有限公司  
Guangzhou Tianxin Photoelectric Co.,Ltd